

APPENDIX II – STATUS OF CLAIMS

5. (Thrice amended) The pullulanase of Claim 6, wherein the pullulanase is obtained from a *Bacillus deramificans* having the designation T89.117D in the LMG culture collection.

6. (Thrice amended) A truncated *Bacillus* pullulanase comprising a deletion of about 100 amino acids from the amino terminus of a pullulanase obtainable from *Bacillus deramificans*, wherein said truncated pullulanase is capable of catalyzing the hydrolysis of an alpha-1, 6-glucosidic bond.

7. (Thrice amended) A truncated *Bacillus* pullulanase comprising a deletion of about 200 amino acids from the amino terminus of a pullulanase obtainable from *Bacillus deramificans*, wherein said truncated pullulanase is capable of catalyzing the hydrolysis of an alpha-1, 6-glucosidic bond.

8. (Thrice amended) A truncated *Bacillus* pullulanase comprising a deletion of about 300 amino acids from the amino terminus of a pullulanase obtainable from *Bacillus deramificans*, wherein said truncated pullulanase is capable of catalyzing the hydrolysis of an alpha-1, 6-glucosidic bond.

9. (Reiterated) A truncated *Bacillus* pullulanase comprising a deletion that is 98 amino acids from the amino terminus of *Bacillus deramificans* pullulanase, wherein said truncated pullulanase is capable of catalyzing the hydrolysis of an alpha-1,6-glucosidic bond.

10. (Reiterated) A truncated *Bacillus* pullulanase comprising a deletion that is 102 amino acids from the amino terminus of *Bacillus deramificans* pullulanase, wherein said truncated pullulanase is capable of catalyzing the hydrolysis of an alpha-1,6-glucosidic bond.

11. (Canceled)

12. (Thrice amended) A modified *Bacillus* pullulanase which is capable of hydrolysis of an alpha-1,6-glucosidic bond, wherein the modification is an addition of at least one amino acid to the amino terminus of a mature pullulanase amino acid sequence obtainable from a *Bacillus deramificans*, wherein the additional amino acid at the amino terminus is an alanine.

14. (Twice Amended) A truncated *Bacillus pullulanase* produced by a method comprising the steps of

a) obtaining a recombinant host cell comprising nucleic acid encoding a mature pullulanase said nucleic acid having at least 70% identity to the polynucleotide sequence as shown in SEQ ID NO:1,

b) culturing said host cell under conditions suitable for the production of a truncated pullulanase, and

c) recovering the truncated pullulanase wherein the truncated *Bacillus pullulanase* comprises a deletion of about 100 amino acids from the amino terminus of a *Bacillus deramificans* pullulanase and said truncated pullulanase is capable of catalyzing the hydrolysis of an alpha-1,6-glucosidic bond.

15. (Reiterated) The pullulanase of Claim 14, wherein said host cell is *B. licheniformis* which comprises a first gene encoding Carlsberg protease and a second gene encoding endo Glu C protease, the first and/or second gene which codes for the protease(s) having been altered such that the protease(s) is/are inactivated.

27. (Twice amended) An enzymatic composition comprising a truncated *Bacillus deramificans* pullulanase wherein said truncated pullulanase is selected from the group of pullulanases consisting of

a) a deletion of up to about 100 amino acids from the amino terminus of a *Bacillus deramificans* pullulanase,

b) a deletion of up to about 200 amino acids from the amino terminus of a *Bacillus deramificans* pullulanase, and

c) a deletion of up to about 300 amino acids from the amino terminus of a *Bacillus deramificans* pullulanase,

wherein said truncated pullulanase is capable of catalyzing the hydrolysis of an alpha-1,6-glucosidic bond.

28. (Reiterated) The enzymatic composition of Claim 27, wherein the pullulanase has a deletion of up to about 100 amino acids from the amino terminus.

29. (Reiterated) The enzymatic composition of Claim 27, wherein the pullulanase has a deletion of up to about 200 amino acids from the amino terminus.

30. (Reiterated) The enzymatic composition of Claim 27, wherein the pullulanase has a deletion of up to about 300 amino acids from the amino terminus.

31. (Reiterated) An enzymatic composition comprising the pullulanase of Claim 9, wherein the pullulanase has the amino acid sequence as shown in SEQ ID NO: 2 beginning at amino acid residue 99, a glutamic acid.

32. (Twice Amended) An enzymatic composition comprising the pullulanase of Claim 10, wherein the pullulanase has the amino acid sequence as shown in SEQ ID NO: 2 beginning at amino acid residue 103, a glutamic acid.

33. (Once amended) The composition of Claim 27 further comprising an enzyme selected from the group consisting of glucoamylase, alpha-amylase, beta-amylase, alpha-glucosidase, isoamylase, cyclomaltodextrin, glucotransferase, beta-glucanase, glucose isomerase, saccharifying enzymes, and enzymes which cleave glucosidic bonds.

34. (Reiterated) The composition of Claim 27 further comprising a glucoamylase.

35. (Reiterated) The composition of Claim 34 wherein the glucoamylase is obtainable from an *Aspergillus* strain.

36. (Reiterated) The composition of Claim 35 wherein the *Aspergillus* strain includes *Aspergillus niger*, *Aspergillus awamori* and *Aspergillus foetidus*.

37. (Reiterated) The composition of Claim 27 wherein said composition is in a solid form.

38. (Reiterated) The composition of Claim 27 wherein said composition is in a liquid form.

39. (Reiterated) The composition of Claim 27 comprising at least 60% truncated *Bacillus* pullulanase.

40. (Reiterated) The composition of Claim 27 comprising at least 80% truncated *Bacillus* pullulanase.

52. (New) The truncated *Bacillus pullulanase* of claim 6, wherein said deletion is from a pullulanase having the sequence shown in SEQ ID NO: 2.

53. (New) The truncated *Bacillus pullulanase* of claim 7, wherein said deletion is from a pullulanase having the sequence shown in SEQ ID NO: 2.

54. (New) The truncated *Bacillus pullulanase* of claim 8, wherein said deletion is from a pullulanase having the sequence shown in SEQ ID NO: 2.

55. (New) The enzymatic composition of claim 27 wherein the deletion is obtained from a pullulanase having the amino acid sequence shown in SEQ ID NO: 2.

56. (New) The truncated *Bacillus* produced according to the method of claim 14, wherein the nucleic acid sequence encoding the mature pullulanase is SEQ ID NO: 1.

57. (New) The truncated *Bacillus* produced according to the method of claim 14, wherein the mature pullulanase has the sequence shown in SEQ ID NO: 2.